

Literaturverzeichnis

„Crystal Meth“ – Eine neue Szene-Droge mit hohem Schädigungspotenzial für das stomatognathe System

Autoren:

1. Niklas Rommel, Dr. med. dent. cand. med., wissenschaftlicher Mitarbeiter¹
2. Marco Kesting, Priv.-Doz. Dr. med. Dr. med. dent. FEBOMFS, leitender Oberarzt und stellv. Klinikdirektor¹

¹Klinik und Poliklinik für Mund-Kiefer-Gesichtschirurgie, Klinikum rechts der Isar, Technische Universität München, Ismaninger Str. 22, D-81675, München

1. Turkyilmaz, I., Oral manifestations of "meth mouth": a case report. *J Contemp Dent Pract*, 2010. 11(1): p. E073-80.
2. Rommel, N., et al., Orale Manifestationen bei Methamphetamine-Abhängigkeit. *Zahnärztliche Mitteilungen*, 2013(3): p. 34-38.
3. Hamamoto, D.T. and N.L. Rhodus, Methamphetamine abuse and dentistry. *Oral Dis*, 2009. 15(1): p. 27-37.
4. Donaldson, M. and J.H. Goodchild, Oral health of the methamphetamine abuser. *Am J Health Syst Pharm*, 2006. 63(21): p. 2078-82.
5. Schifano, F., J.M. Corkery, and G. Cuffolo, Smokable ("ice", "crystal meth") and non smokable amphetamine-type stimulants: clinical pharmacological and epidemiological issues, with special reference to the UK. *Ann Ist Super Sanita*, 2007. 43(1): p. 110-5.
6. Cho, A.K. and W.P. Melega, Patterns of methamphetamine abuse and their consequences. *J Addict Dis*, 2002. 21(1): p. 21-34.
7. Defalque, R.J. and A.J. Wright, Methamphetamine for Hitler's Germany: 1937 to 1945. *Bull Anesth Hist*, 2011. 29(2): p. 21-4, 32.
8. Agassi, A., Open - Das Selbstporträt. 2009, München: Droemer Knaur.
9. Herrligkoffer, K.M., Nanga Parbat - Sieben Jahrzehnte Gipfelkampf in Sonnenglut und Eis. 1967, Berlin: Ullstein Verlag.
10. Polizeiliche Kriminalstatistik 2012 für Oberfranken. 2013 08.03.2013 [cited 2013 21.08.2013]; Available from: <http://www.polizei.bayern.de/oberfranken/kriminalitaet/statistik/index.html/174005>.
11. Konsum von Crystal Meth auf Rekordniveau. [Newspaper Article] 2014 17.04.14 [cited 2014 17.10.2014]; Politik:[Available from: <http://www.welt.de/politik/deutschland/article127048527/Konsum-von-Crystal-Meth-auf-Rekordniveau.html>.
12. Crystal Meth wird Volksdroge. [Newspaper Article] 2014 [cited 2014 17.10.2014]; Available from: <http://www.faz.net/aktuell/gesellschaft/gesundheit/kampf-gegen-diesucht-crystal-meth-wird-volksdroge-13032468.html>.
13. Romanelli, F. and K.M. Smith, Clinical effects and management of methamphetamine abuse. *Pharmacotherapy*, 2006. 26(8): p. 1148-56.
14. Cottencin, O., et al., [Current data on methamphetamine]. *Rev Prat*, 2012. 62(5): p. 679-81.
15. Padilla, R. and A.V. Ritter, Meth mouth: methamphetamine and oral health. *J Esthet Restor Dent*, 2008. 20(2): p. 148-9.

16. Rhodus, N.L. and J.W. Little, Methamphetamine abuse and "meth mouth". Northwest Dent, 2005. 84(5): p. 29, 31, 33-7.
17. Mallatt, M.E., Meth mouth: a national scourge. J Indiana Dent Assoc, 2005. 84(3): p. 28-9.
18. Shaner, J.W., Caries associated with methamphetamine abuse. J Mich Dent Assoc, 2002. 84(9): p. 42-7.
19. Flink, H., Studies on the prevalence of reduced salivary flow rate in relation to general health and dental caries, and effect of iron supplementation. Swed Dent J Suppl, 2007(192): p. 3-50, 2 p preceding table of contents.
20. Fox, P.C., Xerostomia: recognition and management. Dent Assist, 2008. 77(5): p. 18, 20, 44-8; quiz 50-1.
21. Saini, T., et al., Etiology of xerostomia and dental caries among methamphetamine abusers. Oral Health Prev Dent, 2005. 3(3): p. 189-95.
22. Goodchild, J.H. and M. Donaldson, Methamphetamine abuse and dentistry: a review of the literature and presentation of a clinical case. Quintessence Int, 2007. 38(7): p. 583-90.
23. de Almeida Pdel, V., et al., Effects of antidepressants and benzodiazepines on stimulated salivary flow rate and biochemistry composition of the saliva. Oral Surg Oral Med Oral Pathol Oral Radiol Endod, 2008. 106(1): p. 58-65.
24. Koller, M.M., et al., Desipramine induced changes in salivary proteins, cultivable oral microbiota and gingival health in aging female NIA Fischer 344 rats. Life Sci, 2000. 68(4): p. 445-55.
25. Darling, M.R. and T.M. Arendorf, Review of the effects of cannabis smoking on oral health. Int Dent J, 1992. 42(1): p. 19-22.
26. Brand, H.S., S.N. Dun, and A.V. Nieuw Amerongen, Ecstasy (MDMA) and oral health. Br Dent J, 2008. 204(2): p. 77-81.
27. Tipton, D.A., Z.T. Legan, and M. Dabbous, Methamphetamine cytotoxicity and effect on LPS-stimulated IL-1beta production by human monocytes. Toxicol In Vitro, 2010. 24(3): p. 921-7.
28. Peerzada, H., et al., Methamphetamine administration modifies leukocyte proliferation and cytokine production in murine tissues. Immunobiology, 2013.
29. In, S.W., et al., Modulation of murine macrophage function by methamphetamine. J Toxicol Environ Health A, 2004. 67(23-24): p. 1923-37.
30. Talloczy, Z., et al., Methamphetamine inhibits antigen processing, presentation, and phagocytosis. PLoS Pathog, 2008. 4(2): p. e28.
31. Lee, C.Y., L.B. Heffez, and H. Mohammadi, Crystal methamphetamine abuse: a concern to oral and maxillofacial surgeons. J Oral Maxillofac Surg, 1992. 50(10): p. 1052-4.
32. McGrath, C. and B. Chan, Oral health sensations associated with illicit drug abuse. Br Dent J, 2005. 198(3): p. 159-62; dicussion 147; quiz 174.
33. Curtis, E.K., Meth mouth: a review of methamphetamine abuse and its oral manifestations. Gen Dent, 2006. 54(2): p. 125-9; quiz 130.
34. Rhodus, N.L. and J.W. Little, Methamphetamine abuse and "meth mouth". Pa Dent J (Harrisb), 2008. 75(1): p. 19-29.
35. Venker, D., Crystal methamphetamine and the dental patient. Iowa Dent J, 1999. 85(4): p. 34.

36. Klasser, G.D. and J. Epstein, Methamphetamine and its impact on dental care. *J Can Dent Assoc*, 2005. 71(10): p. 759-62.
37. Rhodus, N.L. and J. Bereuter, Clinical evaluation of a commercially available oral moisturizer in relieving signs and symptoms of xerostomia in postirradiation head and neck cancer patients and patients with Sjogren's syndrome. *J Otolaryngol*, 2000. 29(1): p. 28-34.
38. Rhodus, N.L., Oral pilocarpine HCl stimulates labial (minor) salivary gland flow in patients with Sjogren's syndrome. *Oral Dis*, 1997. 3(2): p. 93-8.
39. Newton, T.F., et al., Cocaine and methamphetamine produce different patterns of subjective and cardiovascular effects. *Pharmacol Biochem Behav*, 2005. 82(1): p. 90-7.
40. Heng, C.K., V.M. Badner, and L.A. Schiop, Meth mouth. *N Y State Dent J*, 2008. 74(5): p. 50-1.

Literatur ZBS 03/2015

Die Abformung als Bindeglied zwischen zahnärztlicher und zahntechnischer Arbeit

Autoren: Dr. Peter Rehmann, ZA Holger Kämpe, Prof. Dr. Bernd Wöstmann

1. Fasbinder D: Clinical performance of chairside CAD/CAM restorations. J Am Dent Assoc 137, 22-31 (2006)
2. Kämpe H, Rehmann P, Wöstmann B: Digitale Abformsysteme. Teamwork J Cont Dent Educ Special, 36-37 (2013)
3. Rehmann P, Wöstmann B: Abformungen. Zahn Prax 8, 650-652 (2004)
4. Seelbach P, Rehmann P, Wöstmann B: Die digitale Abformung. Wissen Kompakt 4, 17-24 (2010)
5. Seelbach P, Rehmann P, Schierz S, Wöstmann B: Die digitale Abformung – ein Wegweiser in die Zukunft? Zahn Prax 13, 242-247 (2010)
6. Seelbach P, Rehmann P, Winkler G, Wöstmann B: Digitale Abformverfahren in der zahnärztlichen Praxis. ZMK 26, 580-584 (2010)
7. Syrek A, Reich G, Ranftl D, Klein C, Cerny B, Brodesser J: Clinical evaluation of all-ceramic crowns fabricated from intraoral digital impressions based on the principle of active wavefront sampling. J Dent 38, 553-559 (2010)
8. Wöstmann B: Zum gegenwärtigen Stand der Abformung in der Zahnheilkunde. Quintessenz, Berlin 1998
9. Wöstmann B: Abformung – Quo vadis? Dtsch Zahnärztl Z 64, 132-133 (2009)
10. Wöstmann B: Standardisierung bei der Versorgung mit festsitzendem Zahnersatz. In: Marxkors R (Hrsg.): Lehrbuch der zahnärztlichen Prothetik. Deutscher Ärzte-Verlag, Köln 2010, 85-96

Kontaktadresse:

Bernd Wöstmann, Prof. Dr. med. dent.

Poliklinik für Zahnärztliche Prothetik

Medizinisches Zentrum für Zahn-, Mund- und Kieferheilkunde

Justus-Liebig-Universität Gießen, Schlangenzahl 14, 35392 Gießen

e-mail: Bernd.Woestmann@dentist.med.uni-giessen.de

Literaturverzeichnis für ZBS 06/2015

Erfolgreiche Restaurationen mit fließfähigen „Bulk Fill“-Kompositen?

Autoren:

1. Marie-Theres Weber, Dr. med. dent., Zahnärztin und wissenschaftliche Mitarbeiterin in der Poliklinik für Zahnerhaltung mit Bereich Kinderzahnheilkunde am Universitätsklinikum Carl Gustav Carus Dresden
2. Jörg Neunzehn, Dr.-Ing., Leiter AG „Dentale Werkstoffe und Nanoanalytik“ in der Professur für Biomaterialien am Institut für Werkstoffwissenschaft der Technischen Universität Dresden
3. Christian Hannig, Prof. Dr. med. dent., Direktor der Poliklinik für Zahnerhaltung mit Bereich Kinderzahnheilkunde am Universitätsklinikum Carl Gustav Carus# Dresden

[1] Czasch P, Ilie N. In vitro comparison of mechanical properties and degree of cure of bulk fill composites. *Clin Oral Investig* **2013**; 17:227-235.

[2] Dentsply DeTrey. SDR Smart Dentin Replacement. Technical Manual **2009**.

[3] Hickel R. Neueste Komposite – viele Behauptungen. *BZB Bayerisches Zahnärzteblatt* **2012**; 49:50-53.

[4] Ilie N, Kessler A, Durner J: Influence of various irradiation processes on the mechanical properties and polymerisation kinetics of bulk-fill resin based composites. *J Dent* **2013**; 41:695-702.

[5] Blunck U, Roulet JF. In vitro marginal quality of dentin – bonded composite resin in class V cavities. *Quintessence Int* **1989**; 20:407-412.

[6] Frankenberger R. Adhäsivtechnik 2009 – Neuigkeiten, Tipps und Trends. *Quintessenz* **2009**; 60:415-423.

[7] Weber MT, Hannig C. Direkte Seitenzahnrestaurationen mit Komposit – eine Übersicht. *BZB* **2010**; 47:54-58.

[8] Lambrechts P, Braem M, Vanherle G. Klinische Erfahrungen mit Composites und Dentin – Adhäsiven im Seitenzahnbereich I: Klinische Beurteilung von Composites. *Phillip J* **1988**; 1:12-28.

[9] Leinfelder KF, Sluder TB, Santos JF, Wall JT. Five – year clinical evaluation of anterior and posterior restorations of composite resins. *Oper Dent* **1980**; 5:57-65.

[10] Frankenberger R. Die adhäsive Seitenzahnversorgung. Komposit oder Keramik? *ZWR* **2009**; 118:187-190.

[11] Ferracane J. Resin composite – state of the art. *Dent Mater* **2011**; 27:29-38.

[12] Opdam NJ, Bronkhorst EM, Roeters JM, Loomans BA: A retrospective clinical study on longevity of posterior composite and amalgam restorations. *Dent Mater* **2007**; 23:2-8.

- [13] Manhart J, Chen HY, Hamm G und Hickel R. Review of the clinical survival of direct and indirect restorations in posterior teeth of the permanent dentition. *Oper Dent* **2004**; 29:481-508.
- [14] Opdam NJ, Bronkhorst EM, Loomans BA, Huysmans MC. 12-year survival of composite vs. Amalgam restorations. *J Dent Res* **2010**; 89:1063-1067.
- [15] Goldstein GR. The longevity of direct and indirect posterior restorations is uncertain and may be affected by a number of dentist-, patient-, and material-related factors. *J Evid Based Dent Pract.* **2010**; 10:30-31.
- [16] Hickel R, Ernst CP, Haller B, Hugo B, Kunzelmann KH, Merte KH, Ott K, Schmalz G, Staehle HJ. Direkte Kompositrestaurierungen im Seitenzahnbereich – Indikation und Lebensdauer, Gemeinsame Stellungnahme der Deutschen Gesellschaft für Zahnerhaltung (DGZ) und der Deutschen Gesellschaft für Zahn-, Mund- und Kieferheilkunde (DGZMK) aus dem Jahr 2005. *Deutsche Zahnärztliche Zeitschrift* **2005**; 60:543-545.
- [17] Demarco FF, Correa MB, Cenci MS, Moraes RR, Opdam NJ. Longevity of posterior composite restorations: not only a matter of materials. *Dent Mater* **2012**; 28:87-101.
- [18] Hickel R, Brushaber K, Ilie N: Repair of restorations – Criteria for decision making and clinical recommendations. *Dental Materials* **2012**; 29:28-50.
- [19] Manhart J, Kunzelmann KH, Chen HY, Hickel R. Mechanical properties and wear behavior of light-cured packable composite resins. *Dental Materials* **2000**; 16:33-40.
- [20] Park J, Chang J, Ferracane J, Lee IB. How should composite be layered to reduce shrinkage stress: incremental or bulk filling? *Dental Materials* **2008**; 24:1501-1505.
- [21] Musanje L, Darvell BW. Polymerization of resin composite restorative materials: exposure reciprocity. *Dent Mater* **2003**; 19:531-541.
- [22] Musanje L, Darvell BW. Curing-light attenuation in filled-resin restorative materials. *Dent Mater* **2006**; 22:804-817.
- [23] Ernst CP, Schattenberg A, Stender E, Meyer GR, Willershausen B. Relative Oberflächenhärte verschiedener Komposite nach LED-Polymerisation aus 7 mm Abstand. *Dtsch Zahnärztl Z* **2005**; 60:154-160.
- [24] Lombardini M, Chiesa M, Scribante A, Colombo M, Poggio C. Influence of polymerization time and depth of cure of resin composites determined by Vickers hardness. *Dent Res J* **2012**; 735-740.
- [25] Beriat NC, Ertan AA, Canay S, Gurpinar A, Onur MA. Effect of different polymerization methods on the cytotoxicity of dental composites. *Eur J Dent* **2010**; 4:287-292.
- [26] Ferracane JL, Mitchem JC. Relationship between composite contraction stress and leakage in class V cavities. *Am J Dent* **2003**; 16:239-243
- [27] Kleverlaan CJ, Feilzer AJ. Polymerization shrinkage and contraction stress of dental resin composites. *Dent Mater* **2005**; 21:1150-1157.

- [28] Feilzer AJ, DeGee AJ, Davidson CI. Setting stress in composite resin in relation to configuration of the restoration. *J Dent Res* **1987**; 66:1636-1639.
- [29] Tauböck TT. Bulk-Fill-Komposite – Wird die Füllungstherapie einfacher, schneller und erfolgreicher? *BZB* **2013**; 10:50-54.
- [30] Manhart J. Neues Konzept zum Ersatz von Dentin in der kompositbasierten Seitenzahnversorgung. *ZWR Das Deutsche Zahnärzteblatt* **2010**; 199:118-125.
- [31] Manhart J. Muss es immer Kaviar sein? – Die Frage nach dem Aufwand für Komposite im Seitenzahnbereich. *ZMK* **2011** (Sonderausgabe März); 27:10-15.
- [32] Manhart J, Hickel R. Bulk-Fill Composites – Modern application technique of direct composites for posterior teeth (in German). *Swiss Dental Journal* **2014**; 124:19-28.
- [33] Kluschke A. SDR – die Zukunft in der Adhäsivtechnik? *ZP Zahnarzt und Praxis* **2010**; 13:86-95.
- [34] Ilie N, Stawarczyk B. Bulk-Fill-Komposite: neue Entwicklungen oder doch herkömmliche Komposite? *ZMK* **2014**; 30:90-96.
- [35] Ilie N, Rencz A, Hickel R. Investigations towards non-hybrid resin-based composites. *Clin Oral Investig* **2013**; 17:185-193.
- [36] Krämer N, Lohbauer U, García-Godoy F, Frankenberger R. Light curing of resin-based composites in the LED era. *Am J Dent* **2008**; 21:135-142.
- [37] Ilie N, Bucata S, Draenert M. Bulk-fill Resin-based Composites: An In Vitro Assessment of Their Mechanical Performance. *Oper Dent* **2013**; 38:618-625.
- [38] Lee YK. Influence of filler on the difference between the transmitted and reflected colors of experimental resin composites. *Dent Mater* **2008**; 24:1243-1247.
- [39] Kim JJ, Moon HJ, Lim BS, Lee YK, Rhee SH, Yang HC. The affect of nanofiller on the opacity of experimental composites. *J Biomed Mater Res B Appl Biomater* **2007**; 80:332-338.
- [40] Emami N, Sjodahl M, Soderholm KJ. How filler properties, filler fraction, sample thickness and light source affect light attenuation in particle filled resin composites. *Dent Mater* **2005**; 21:721-730.
- [41] Feng L, Suh BI, Shortall AC. Formation of gaps at the filler-resin interface induced by polymerization contraction stress: Gaps at the interface. *Dent Mater* **2010**; 26:719-719.
- [42] Burtscher P. Von geschichteten Inkrementen zur Vier-Millimeter-Bulk-Fill-Technik – Anforderung an Komposit und Lichthärtung. *DZW Die Zahnarzt Woche* **2011**; 39:6-8.
- [43] lie N, Hickel R. Investigations on a methacrylate-based flowable composite based on the SDR technology. *Dent Mater* **2011** (*official publication of the Academy of Dental Materials*); 27:348-355.
- [44] Frauscher KE, Ilie N. Degree of conversion of nano-hybrid resin-based composites with novel and conventional matrix formulation. *Clin Oral Investig* **2013**; 17: 635-642.

- [45] Tauböck TT, Feilzer A, Buchalla W, Kleverlaan CJ, Krejci I, Attin T. Effect of modulated photo-activation on polymerization shrinkage behavior of dental restorative resin composites. *Eur J Oral Sci* **2014**; 122: 293-302.
- [46] Jin X, Bertrand S, Hammesfahr P. New radically polymerizable resins with remarkably low curing stress. *J Dent Res* **2009**; 88:1651.
- [47] Moorthy A, Hogg CH, Dowling AH, Grufferty BF, Benetti AR, Fleming GJ. Cuspal deflection and microleakage in premolar teeth restored with bulk-fill flowable resin-based composite base materials. *J Dent* **2012**; 40: 500-505.
- [48] Lassila LV, Nagas E, Vallittu PK, Garoushi S. Translucency of flowable bulk-filling composites of various thicknesses. *Chin J Dent Res* **2012**; 15:31-35.
- [49] Facher A, Vogel, K, Grabher K, Hirt T, Heintze S. Comparison of the flowable composite s for bulk-filling . *J Dent Res* **2013**: Poster Presentation (Nr. 175701) at the IADR General Session Seattle, March 20-23.
- [50] Hickel R. Neueste Komposite – viele Behauptungen. *BZB* **2012**; 49:50-53.
- [51] Ehlers V, Ernst CP, Willershausen B. Bulk-Fill-Milchzahnhäufung – ein Fallbericht. *ZMK* **2012**; 28:860-861.
- [52] Tauböck TT. Bulk-Fill-Komposite – Wird die Füllungstherapie einfacher, schneller und erfolgreicher? *BZB* **2013**; Oktober:50-54.

Literatur Update der zahnärztlichen Pharmakologie Teil 1 und Teil 2

(ZBS 04/2015 und 05/2015)

Al-Nawas B Einsatz von Antibiotika in der zahnärztlichen Praxis (Wissenschaftliche Stellungnahme der DGZMK). DZZ 2002; 57:451 - 454

Al-Nawas B. Antiinfektiose Prophylaxe und Therapie in der Zahnmedizin. Wissen kompakt 2010; 4: 3 – 12

Al-Nawas B, Ziegler A. Die Antibiotika in der Zahnmedizin. Quintessenz 2009; 60: 1425 – 1437

Corsonello A, Pedone C, Corica F, et al.: Concealed renal insufficiency and adverse drug reactions in elderly hospitalized patients. Arch Intern Med 2005; 165: 790–5

Coxib and traditional NSAID Trialists' (CNT) Collaboration Vascular and upper gastrointestinal effects of non-steroidal anti-inflammatory drugs: meta-analyses of individual participant data from randomised trials. Lancet 2013;382:769 - 779

Eckert AW, Maurer P, Wilhelms D et al. Keimspektrum und Antibiotika bei odontogenen Infektionen. Mund Kiefer GesichtsChir 2005; 9: 377 – 383

Eckert AW, Just L, Wilhelms D et al. Odontogene Infektionen –Teil 1. Zur Wertigkeit der Erregerbestimmung bei odontogenen Infektionen in der klinischen Routine. Wien Med Wochenschr 2012: DOI 10.1007/s10354-012-0103-2

Gresser U. Amoxicillin-clavulanic acid therapy may be associated with severe side effects - Review of the literature. Eur J Med Res 2001; 6: 139 – 149

Grötz KA., Piesold J, Al-Nawas B AWMF S3 Leitlinie: Bisphosphonate-assoziierte Kiefernekrosen und andere Medikamenten-assoziierte Kiefernekrosen. 2012[<http://www.awmf.org/leitlinien/detail/II/007-091.html>](letzter Zugriff: 04.07.2014)

Halling F Zahnärztliche Antibiotika- und Analgetikaverordnungen.In: Glaeske G, Schicktanz C (Hrsg.) BARMER GEK Arzneimittelreport 2012. St. Augustin: Asgard Verlag; 2012:78 – 95

Halling F Zahnärztlich relevante Neben- und Wechselwirkungen der meistverordneten Arzneimittel in Deutschland. Deutsche Zahnärztliche Zeitschrift 2013; 68: 669 – 676.

Halling F Antibiotika in der Zahnmedizin. Zahnmedizin up2date 2014, 8: 67 – 82

Isen DA Articaine: pharmacology and clinical use of a recently approved local anaesthetic. Dent Today 2000; 19: 72 – 77

Jaehde U, Hanke F, Demgenski M Mehr Überblick trotz Polymedikation. Pharm Ztg 2008;153:2110-2120

Levey AS, Stevens LA, Schmid CH, et al. CKD-EPI (Chronic Kidney Disease Epidemiology Collaboration): A new equation to estimate glomerular filtration rate. Ann Intern Med 2009; 150: 604–612

Naber CK, Al-Nawas B, Baumgartner H et al. Prophylaxe der infektiösen Endokarditis. Kardiologe 2007; 1: 243 – 250

Pfeiffer AFH, Klein HH The treatment of type 2 diabetes. Dtsch Arztebl Int 2014; 111: 69 - 82

Radfar L, Suresh L Medical profile of a dental school patient population. J Dent Educ 2007;71:682–686

Randerath WJ. Galetke W Differentialdiagnose der rezidivierenden Polyposis nasi. Dtsch Ärztebl 2007; 104; 46:3178 - 3183

Rathmann W, Scheidt-Nave C, Roden M et al. Type 2 Diabetes: prevalence and relevance of genetic and acquired factors for its prediction. Deutsches Ärzteblatt International 2013; 110: 331 – 337

Reinecke H, Weber C, Lange K et al Analgesic efficacy of opioids in chronic pain - recent meta analyses. Br J Pharmacol 2014: doi: 10.1111/bph.12634)

Robert-Koch-Institut (2012) Daten und Fakten: Ergebnisse der Studie - Gesundheit in Deutschland aktuell, Berlin

Roberts W, Addy M. Comparison of the in vivo and in vitro antibacterial properties of antiseptic mouthrinses containing chlorhexidine, alexidine, cetylpyridinium chloride and hexetidine. J Clin Periodontol 1981; 8: 295 – 310

Scheer M, Breuer K, Neugebauer J et al. Trotz Gerinnungsstörung behandeln. Zahnärztl Mitt 2006; 96: 38 – 44

Schiemann G, Hoffmann I Polypharmazie und kardiovaskuläre Wirkstoffgruppen bei Älteren – eine Einsatzmöglichkeit der Polypill? In Glaeske G, Schicktanz C (Hrsg.) BARMER GEK Arzneimittelreport 2013. St. Augustin: Asgard Verlag; 2013: 74 - 89

Spiegel-Online (2012) Pharma-Boom: Deutsche schlucken immer mehr Schmerzmittel.
<http://www.spiegel.de/gesundheit/diagnose/schmerzmittel-aerzte-verschreiben-so-viele-packungen-wie-nie-a-865022.htm> (letzter Zugriff 04.06.2014)

Steiner T Neue direkte orale Antikoagulanzien: Was ist im Notfall zu beachten. Dtsch Aerztebl. 2012;109: 1542 - 1544

Thieme V, Wille H Orale postoperative Schmerztherapie bei Erwachsenen. MKG-Chirurg 2013: 6:290 - 300

Verfasser:

Dr. med Dr. med. dent. Frank Halling

Gesundheitszentrum Fulda

Praxis für MKG – Chirurgie/Plast. OP

Gerloser Weg 23a

36039 Fulda

[Dr. Halling@t-online.de](mailto:Dr.Halling@t-online.de)

Bericht zur Frühjahrstagung 2015 der Gesellschaft für ZMK Dresden e.V.

Autorin: MDDr. Lilian Bauer, Zahnärztin für Kieferorthopädie

Quellen:

1. <http://www.boulevardtheater.de/mehr/boulevardtheater-dresden-das-haus.php>
2. http://www.bzaek.de/fileadmin/PDFs/presse/pk/140207/ECC_Konzept.pdf
3. Marinho VC, Higgins JP, Logan S, Sheiham A. Topical fluoride (toothpastes, mouthrinses, gels or varnishes) for preventing dental caries in children and adolescents. Cochrane Database Syst Rev 2003;(3):CD002284. Review.
4. Wash T, Worthington THV, Glenny AM, Appelbe P, Marinho VC, Shi X. Fluoride toothpastes of different concentrations for preventing dental caries in children and adolescents. Cochrane Database Syst Rev 2010;20(1):CD007868. doi: 10.1002/14651858.CD007868.pub.2.
5. <http://www.bda.de/docman/alle-dokumente-fuer-suchindex/oefentlich/empfehlungen/913-einsatz-von-lachgas-zur-minimalen-sedierung-von-kindern-in-der-zahnheilkunde/file.html>
6. Erster Parallelbericht der Zivilgesellschaft zur Umsetzung der UN-Behindertenrechtskonvention – Kurzfassung, www.institut-fuer-menschenrechte.de
7. http://www.dgzmk.de/uploads/tx_szdgzmkdocuments/Indikation_und_Gestaltung_von_Lueckenhaltern_nach_vorzeitigem_Milchzahnverlust-2004-07-01_1_.pdf
8. Macena MC, Tornisiello Katz CR, Heimer MV, de Oliveira de Silva JF, Costa LB. Space changes after premature loss of deciduous molars among Brazilian children. Am J Orthod Dentofacial Orthop 2011;140:771-778.
9. Van Buggenhout G, Bailleul-Forestier I. Mesiodens. Eur J Med Genet 2008; 51: 178-181.

Gibt es Indikationen zum Einsatz von Devitalisationspasten im Rahmen der endodontischen Behandlung?

Dr. med. dent. Mario Schulze

Praxis für Zahnerhaltung und Endodontie
Lockwitzer Str. 24
01219 Dresden

1. Glasser MM. Acute periapical necrosis from arsenical pulp devitalizer: case report. *Oral Surg Oral Med Oral Pathol* 1957;10:216-217.
2. Hoffmann A. Kasuistischer Beitrag zur Verwendung des Paraformaldehyds als Arsenersatzpräparat. *Dtsch Mschr Zahnheilk* 1925;43:393-397.
3. Hülsmann M. Risiken und Nebenwirkungen bei der Devitalisierung permanenter Zähne. *Zahnärztl Mitt* 1996;86:338-345.
4. Fränkel M. Paraformaldehyd als Ersatz für Arsen in der Zahnheilkunde? Tübingen: Med. Diss., 1924.
5. Wiegand A, Hülsmann M. Pulpotomie im Milchgebiss - Eine Standortbestimmung. *Endodontie* 2005;14/2:177-192.
6. Fehr B, Huwyler T, Wüthrich B. Formaldehyd- und Paraformaldehyd- Allergie. Allergische Reaktionen auf Formaldehyd- und Paraformaldehyd nach Zahnwurzelbehandlungen. *Schweiz Monatsschr Zahnmed* 1992;102:94-97.
7. Filippi A. Gewebsnekrosen durch Devitalisationsmittel. *Quintessenz* 1993;44:705-715.
8. Kockapan C. Elektronenmikroskopische Untersuchung eines Knochensequesters nach paraformaldehydhaltiger Devitalisationseinlage. *Endodontie* 2008;17/3:227-235.
9. Löst C, Geurtsen W. Parodontale Veränderungen nach provoziertter Diffusion von Toxavit in den Approximalraum. *Dtsch Zahnärztl Z* 1984;39:379-387.
10. Tyihak E, Bocsi J, Timar F, Rasz G, Szende B. Formaldehyde promotes and inhibits the proliferation of cultured tumour and endothelial cells. *Cell Prolif* 2001;34:135-141.
11. Lovschall H, Eiskjaer M, Arenholt- Bindslev D. Formaldehyde cytotoxicity in three human cell types assessed in three different assays. *Toxicol in Vitro* 2002;16:63-69.
12. DGZMK- Stellungnahme. Anwendung aldehydfreisetzender zahnärztlicher Materialien. *Dtsch Zahnärztl Z* 1997;52:772-773.

13. European Society of Endodontontology. Consensus report of the European Society of Endodontontology on quality guidelines for endodontic treatment. Int Endod J 1994;27:115-124.
14. Gebrauchs- und Fachinformation Toxavit. Dettenhausen: lege artis Pharma. Stand Juli 2013.
15. Gebrauchsinformation Depulpin. Cuxhaven: VOCO. Stand 18.07.2013.
16. Arnold M, Gäbler S. Ist eine Risikoabschätzung zum Einsatz von Devitalisationspasten in der Praxis möglich? Quintessenz 2013;64/7:811-819.
17. Arnold M, Friedrichs C, Tulus G, Verch S, Dennhardt H, Sanner F. Intrakoronale und intrakanaläre endodontische Diagnostik (IKD). Endodontie 2013;22/1:9-21.
18. Klimm W. Endodontologie. Grundlagen und Praxis. Köln: Deutscher Zahnärzte Verlag, 2003.
19. OLG Köln, Urteil vom 12. Januar 2005 · Az. 5 U 96/03: <https://openjur.de/u/107166.html>.
20. OLG Hamm, Urteil vom 24. Oktober 2006 · Az. 26 U 171/05: <https://openjur.de/u/116117.html>.

Orale Gesundheit und „Fast Food“

Autoren

Dr. med. dent. Thomas G. Wolf

Univ.-Prof. Dr. med. dent. Dipl.-Chem. Brita Willershausen

Poliklinik für Zahnerhaltungskunde und Parodontologie

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

Augustusplatz 2

55131 Mainz

Tel 06131 17 3501

Fax 06131 17 3406

thomaswolf@uni-mainz.de

Literatur:

1. Lampert, T., Saß, A.C., Häfleinger, M., Zeise, T., Armut, soziale Ungerechtigkeit und Gesundheit - Expertise des Robert-Koch-Instituts zu 2. Armuts- und Reichtumsbericht der Bundesregierung. Robert-Koch-Institut, Berlin, 2005
2. Lebenslagen in Deutschland - Der Vierte Armuts- und Reichtumsbericht der Bundesregierung. Bundesministerium für Arbeit und Soziales, Bonn, März 2013
3. Nguyen, N.T., Magno, C.P., Lane, K.T., Hinojosa, M.W., Lane, J.S., Association of hypertension, diabetes, dyslipidemia, and metabolic syndrome with obesity: findings from the National Health and Nutrition Examination Survey, 1999 to 2004. *J Am Coll Surg.* 2008, Dec, 207(6): p. 928-34
4. Desai, M., Jellyman, J.K., Ross, M.G., Epigenomics, gestational programming and risk of metabolic syndrome. *Int J Obes (Lond).* 2015, April, 39(49): p. 633-641
5. Stellungnahme der Bundeszahnärztekammer (BZÄK) zum Entwurf der Bundesregierung eines Gesetzes zur Stärkung der Gesundheitsförderung und der Prävention (Präventionsgesetz-PrävG), April 2015 http://www.bzaek.de/fileadmin/PDFs/b15/1504_stellungnahme_praeventionsgesetz.pdf
6. Pieper K: Epidemiologische Begleituntersuchungen zur Gruppenprophylaxe 2009 Gutachten aus den Bundesländern bzw. Landesteilen Schleswig-Holstein, Bremen, Hamburg, Niedersachsen, Nordrhein, Westfalen Lippe, Rheinland-Pfalz, Baden-Württemberg, Mecklenburg-Vorpommern, Berlin, Brandenburg, Sachsen-Anhalt, Saarland, Bayern, Sachsen. Deutsche Arbeitsgemeinschaft für Jugendzahnpflege(DAJ). Bonn, 2010
7. OECD Health Statistics, Obesity Update, Juni 2014, www.oecd.org/health/healthdata
8. National Institutes of Health, Department of Health and Human Services, USA, <http://www.nhlbi.nih.gov/health/health-topics/topics/obe/causes>
9. Kautiainen, S., Rimpela, A., Vikat, A., Virtanen, S.M., Secular trends in overweight and obesity among Finnish adolescents in 1977-1999. *Int J Obes Relat Metab Disord,* 2002, 26: p. 544-52.
10. Togashi, K., Masuda, H., Rankinen, T., Tanaka, S., Bouchard, C., Kamiya, H., A 12-year follow-up study of treated obese children in Japan. *Int J Obes Relat Metab Disord,* 2002, 26: p. 770-7.
11. Carlin, M., Fast Food and Urban Living Standards in Medieval England - Food and Eating in Medieval Europe. edited by Carlin, M. & Rosenthal, J.T., Hamledon Press, London, 1998, pp. 27-52.
12. Lichtenstein, A.H., Appel, L.J., Brands, M., Carnethon, M., Daniels, S., Franch, H.A., Franklin, B., Kris-Etherton, P., Harris, W.S., Howard, B., Karanja, N., Lefevre, M., Rudel, L., Sacks, F., Van Horn, L., Winston, M., Wylie-Rosett, J. Diet and lifestyle recommendations revision 2006: a scientific statement

- from the American Heart Association Nutrition Committee. American Heart Association Nutrition Committee Circulation. 2006, Jul 4; 114(1): p. 82-96.
13. Moschos, D., Willershausen, B., Blettner, M., Azrak, B., Korrelation zwischen Mundgesundheit und Body Mass Index (BMI) bei Grundschülern, Deutsche Zahnärztliche Zeitschrift 2006, 61, S. 627-631
 14. Konig, K.G., Kariogenität von Lebensmittelzuckern und Zuckerersatzstoffen in Tierexperimenten unter besonderer Berücksichtigung unspezifischer Effekte, Deutsche Zahnärztliche Zeitschrift, 1971, 26, S. 1093-1096
 15. Institut der Deutschen Zahnärzte (Hrsg.): Vierte Deutsche Mundgesundheitsstudie (DMS IV). Köln, 2006
 16. WHO calls on countries to reduce sugars intake among adults and children, World Health Organization, <http://www.who.int/mediacentre/news/releases/2015/sugar-guideline/en/>
 17. Marktcheck Coca-Cola Life und Co, Verbraucherzentrale Niedersachsen, Mai 2015
<https://www.verbraucherzentrale-niedersachsen.de/marketcheck-cola>
 18. Al-Zahrani, M.S., Bissada, N.F., Borawski, E.A. Obesity and periodontal disease in young, middle-aged, and older adults. J Periodontol 2003, 74, p. 610-615
 19. Genco, R.J., Grossi, S.G., Ho, A., Nishimura, F., Murayama, Y. A proposed model linking Inflammation to obesity, diabetes and periodontal infections. J Periodontol 2005, 76, p. 2075-2084
 20. Lampert, T & Mielck, A., Gesundheit und soziale Ungleichheit - Eine Herausforderung für Forschung und Politik, April 2008, 8(2): S. 7–16
 21. Marsh, P.D. Microbiological aspects of the chemical control of plaque and gingivitis. J Dent Res 71, 1992, p. 1431-1438
 22. Marsh, P.D. Microbiological aspects of dental plaque and dental caries. Dent Clin North Am, 1999, 43, p. 599-614
 23. Held, E., Sitte, F., Willershausen, B., Umfrage zum Getränkekonsum von Jugendlichen und Erwachsenen aus einer deutschen Mittelstadt. Poliklinik für Zahnerhaltungskunde, Johannes Gutenberg-Universität Mainz, 2006
 24. Johansson, A.K. On dental erosion and associated factors, Swed Dent J Suppl, 2002, p. 1-77
 25. Imfeld, T., Chewing gum--facts and fiction: a review of gum-chewing and oral health. Crit Rev Oral Biol Med. 1999, 10(3): p. 405-19
 26. Kim, E.J., Jin, B.H., Bae, K.H., Periodontitis and Obesity: A Study of the Fourth Korean National Health and Nutrition Examination Survey. J Periodontol, 2011, Apr, 82 (4): p. 533-42.
 27. Andriankaja, O.M., Sreenivasa, S., Dunford, R., De Nardin, E., Association between metabolic syndrome and periodontal disease. Aust Dent J, 2010, 55: p. 252-9.
 28. Chaffee, B.W., Weston, S.J., Association between chronic periodontal disease and obesity: a systematic review and meta-analysis. J Periodontol, 2010, 81: p. 1708-24.
 29. Morita, I., Okamoto, Y., Yoshii, S., Nakagaki, H., Mizuno, K., Sheiham, A., Sabbah, W. Five years incidence of periodontal disease is related to Body Mass Index. J Dent Res, 2011, 90: p. 199-202.
 30. Willershausen, B., Moschos, D., Azrak, B., Blettner, M., Correlation between oral health and body mass index (BMI) in 2071 primary school pupils. Eur J Med Res, 2007 Jul 26, 12(7): p. 295-9.
 31. Willerhausen, B., Blettner, M., Kasaj, A., Hohenfellner, K., Association between body mass index and dental health in 1,290 children of elementary schools in a German city. Clin Oral Investig, 2007,

Sep, 11(3): p. 195-200

32. Costacurta, M., Di Renzo, L., Sicuro, L., Gratteri, S., De Lorenzo, A., Docimo, R., Dental caries and childhood obesity: analysis of food intakes, lifestyle. *Eur J Paediatr Dent*, 2014, Dec, 15(4): p. 343-8.
33. Imfeld, T., Dental erosion. Definition, classification and links. *Eur J Oral Sci*, 1996 Apr; 104(2): p. 151-5.
34. Søvik, J.B., Tveit, A.B., Storesund, T., Mulic, A., Dental erosion: a widespread condition nowadays? A cross-sectional study among a group of adolescents in Norway. *Acta Odontol Scand*, 2014 Oct, 72(7): p. 523-9.
35. Bassiouny, M.A., Clinical observations of dental erosion associated with citrus diet and intake methods. *Gen Dent*, 2014, Jan-Feb 62: p. 49-55.
36. Kumar, S., Acharya, S., Mishra, P., Debnath, N., Vastare, R.: Prevalence and risk factors for dental erosion among 11- to 14-year-old school children in South India, *J Oral Sci* 2013, 55: p. 329-46
37. Zhang, S., Chau, A.M., Lo, E.C., Chu, C.H.: Dental caries and erosion status of 12-year-old Hong Kong children. *BMC Public Health*, 2014, Jan 8; 14(1): p. 7
38. Isaksson, H., Birkhed, D., Wendt, L.K., Alm, A., Nilsson, M., Koch, G., Prevalence of dental erosion and association with lifestyle factors in Swedish 20-year olds. *Acta Odontol Scand*, 2014, Aug, 72(6): p. 448-57.
39. Hemingway, C.A., Parker, D.M., Addy, M., Barbour, M.E., Erosion of enamel by non-carbonated soft drinks with and without toothbrushing abrasion. *Br Dent J*, 2006, Oct 7; 201(7): p 447-50.
40. Willershausen, B., Callaway, A., Azrak, B., Duschner, H., Influence of apple juice on human enamel surfaces of the first and second dentition- an in vitro study. *Eur J Med Res*, 2008, 28: p. 349-354.
41. Willershausen, B., Callaway, A., Azrak, B., Kloss, C., Schulz-Dobrick, B., Prolonged in vitro exposure to white wines enhances the erosive damage on human permanent teeth compared with red wines. *Nutr Res*, 2009, 29: p. 558-67.
42. Mühlmann, P., State-of-the-Art-Bericht „Fast Food und Gesundheit“, Schweizerische Gesellschaft für Ernährung, Bern, 2005
43. Kuijer, R.G. & Boyce, J.A., Chocolate cake. Guilt or celebration? Associations with healthy eating attitudes, perceived behavioural control, intentions and weight-loss. *Appetite*, 2014 Mar; 74: p. 48-54.
44. Greenbert, J.A., Chocolate intake and diabetes risk. *Clinical Nutrition*, 2015, 34, p. 129-133.
45. Allen, R.R., Carson, L., Kwik-Uribe, C., Evans, E.M., Erdman, J.W.Jr., Daily consumption of a dark chocolate containing flavanols and added sterol esters affects cardiovascular risk factors in a normotensive population with elevated cholesterol. *J Nutr*, 2008, Apr, 138(4): p. 725-31.
46. Messerli, F.H., Chocolate consumption, cognitive function, and Nobel laureates. *N Engl J Med*, 2012, Oct 18; 367(16): p. 1562-4.

Literaturverzeichnis

Fachbeitrag

Aktuelle Aspekte der medikamentenabhängigen Osteonekrose der Kiefer (MRONJ)

Autoren: Schneider D.¹ & Schneider S.^{1*}; Lenz J.-H.²; Herzog U.¹; Kämmerer P.W.²

Erstveröffentlichung in der „dens“

ZBS 10-2015

- 1 Alhussain A, Peel S, Dempster L, Clokie C, Azarpazhooh A. Knowledge, Practices, and Opinions of Ontario Dentists When Treating Patients Receiving Bisphosphonates. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons* 2015;
- 2 Dunford JE, Thompson K, Coxon FP et al. Structure-activity relationships for inhibition of farnesyl diphosphate synthase in vitro and inhibition of bone resorption in vivo by nitrogen-containing bisphosphonates. *The Journal of pharmacology and experimental therapeutics* 2001; 296(2): 235 – 242
- 3 Otto S, Pautke C, Opelz C et al. Osteonecrosis of the jaw: effect of bisphosphonate type, local concentration, and acidic milieu on the pathomechanism. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons* 2010; 68(11): 2837 – 2845
- 4 Walter C, Klein MO, Pabst A, Al-Nawas B, Duschner H, Ziebart T. Influence of bisphosphonates on endothelial cells, fibroblasts, and osteogenic cells. *Clinical oral investigations* 2010; 14(1): 35 – 41
- 5 Walter C, Pabst A, Ziebart T, Klein M, Al-Nawas B. Bisphosphonates affect migration ability and cell viability of HUVEC, fibroblasts and osteoblasts in vitro. *Oral diseases* 2011; 17(2): 194 – 199
- 6 Clézardin P. Mechanisms of action of bisphosphonates in oncology: a scientific concept evolving from antiresorptive to anticancer activities. *BoneKEy reports* 2013; 2: 267
- 7 Xu X, Gou W, Wang A et al. Basic research and clinical applications of bisphosphonates in bone disease: what have we learned over the last 40 years? *Journal of translational medicine* 2013; 11: 303
- 8 Im G, Qureshi SA, Kenney J, Rubash HE, Shanbhag AS. Osteoblast proliferation and maturation by bisphosphonates. *Biomaterials* 2004; 25(18): 4105 – 4115
- 9 Cremers, Serge CLM, Pillai G, Papapoulos SE. Pharmacokinetics/pharmacodynamics of bisphosphonates: use for optimisation of intermittent therapy for osteoporosis. *Clinical pharmacokinetics* 2005; 44(6): 551 – 570
- 10 Russell, R Graham G, Xia Z, Dunford JE et al. Bisphosphonates: an update on mechanisms of action and how these relate to clinical efficacy. *Annals of the New York Academy of Sciences* 2007; 1117: 209 – 257
- 11 Holen I, Coleman RE. Bisphosphonates as treatment of bone metastases. *Current pharmaceutical design* 2010; 16(11): 1262 – 1271
- 12 Drake MT, Clarke BL, Khosla S. Bisphosphonates: mechanism of action and role in clinical practice. *Mayo Clinic proceedings* 2008; 83(9): 1032 – 1045
- 13 Sambrook PN, Ebeling P. Osteonecrosis of the jaw. *Current rheumatology reports* 2008; 10(2): 97 – 101
- 14 Kennel KA, Drake MT. Adverse effects of bisphosphonates: implications for osteoporosis management. *Mayo Clinic proceedings* 2009; 84(7): 632-7; quiz 638
- 15 Pozzi S, Raje N. The role of bisphosphonates in multiple myeloma: mechanisms, side effects, and the future. *The oncologist* 2011; 16(5): 651 – 662

- 16 *McLeod, Niall M H, Brennan PA, Ruggiero SL.* Bisphosphonate osteonecrosis of the jaw: a historical and contemporary review. *The surgeon : journal of the Royal Colleges of Surgeons of Edinburgh and Ireland* 2012; 10(1): 36 – 42
- 17 *Gupta S, Gupta H, Mandhyan D, Srivastava S.* Bisphosphonates related osteonecrosis of the jaw. *National journal of maxillofacial surgery* 2013; 4(2): 151 – 158
- 18 *Migliorati CA, Casiglia J, Epstein J, Jacobsen PL, Siegel MA, Woo S.* Managing the care of patients with bisphosphonate-associated osteonecrosis: an American Academy of Oral Medicine position paper. *Journal of the American Dental Association* (1939) 2005; 136(12): 1658 – 1668
- 19 *Ruggiero SL, Dodson TB, Fantasia J et al.* American Association of Oral and Maxillofacial Surgeons position paper on medication-related osteonecrosis of the jaw--2014 update. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons* 2014; 72(10): 1938 – 1956
- 20 *Ohga N, Yamazaki Y, Tsuboi K, Kitagawa Y.* Healing of osteonecrosis of the jaw (ONJ) after discontinuation of denosumab in a patient with bone metastases of colorectal cancer: A case report and hypothesis. *Quintessence international (Berlin, Germany : 1985)* 2015;
- 21 *Boquete-Castro A, Gómez-Moreno G, Calvo-Guirado JL, Aguilar-Salvatierra A, Delgado-Ruiz RA.* Denosumab and osteonecrosis of the jaw. A systematic analysis of events reported in clinical trials. *Clinical oral implants research* 2015;
- 22 *Walter C, Pabst AM, Ziebart T.* Effects of a low-level diode laser on oral keratinocytes, oral fibroblasts, endothelial cells and osteoblasts incubated with bisphosphonates: An in vitro study. *Biomedical reports* 2015; 3(1): 14 – 18
- 23 *Koy S, Schubert M, Koy J, Ney M, Lauer G, Sabatowski R.* Bisphosphonat-assoziierte Kiefernekrosen. *Schmerz* 2015; 29(2): 171-178
- 24 *Hagelauer N, Pabst AM, Ziebart T, Ulbrich H, Walter C.* In vitro effects of bisphosphonates on chemotaxis, phagocytosis, and oxidative burst of neutrophil granulocytes. *Clinical oral investigations* 2015; 19(1): 139 – 148
- 25 *Schioldt M, Larsson Wexell C, Herlofson BB, Giltvedt KM, Norholt SE, Ehrenstein V.* Existing data sources for clinical epidemiology: Scandinavian Cohort for osteonecrosis of the jaw - work in progress and challenges. *Clinical epidemiology* 2015; 7: 107 – 116
- 26 *Ziebart T, Pabst A, Klein MO et al.* Bisphosphonates: restrictions for vasculogenesis and angiogenesis: inhibition of cell function of endothelial progenitor cells and mature endothelial cells in vitro. *Clinical oral investigations* 2011; 15(1): 105 – 111
- 27 *Pabst AM, Ziebart T, Koch FP, Taylor KY, Al-Nawas B, Walter C.* The influence of bisphosphonates on viability, migration, and apoptosis of human oral keratinocytes--in vitro study. *Clinical oral investigations* 2012; 16(1): 87 – 93
- 28 *Pabst AM, Ziebart T, Ackermann M, Konerding MA, Walter C.* Bisphosphonates' antiangiogenic potency in the development of bisphosphonate-associated osteonecrosis of the jaws: influence on microvessel sprouting in an in vivo 3D Matrigel assay. *Clinical oral investigations* 2014; 18(3): 1015 – 1022
- 29 *Wang EP, Kaban LB, Strewler GJ, Raje N, Troulis MJ.* Incidence of osteonecrosis of the jaw in patients with multiple myeloma and breast or prostate cancer on intravenous bisphosphonate therapy. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons* 2007; 65(7): 1328 – 1331
- 30 *Rasmusson L, Abtahi J.* Bisphosphonate associated osteonecrosis of the jaw: an update on pathophysiology, risk factors, and treatment. *International journal of dentistry* 2014; 2014: 471035

- 31 Mavrokokki T, Cheng A, Stein B, Goss A. Nature and frequency of bisphosphonate-associated osteonecrosis of the jaws in Australia. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons* 2007; 65(3): 415 – 423
- 32 King AE, Umland EM. Osteonecrosis of the jaw in patients receiving intravenous or oral bisphosphonates. *Pharmacotherapy* 2008; 28(5): 667 – 677
- 33 Yazdi PM, Schiodt M. Dentoalveolar trauma and minor trauma as precipitating factors for medication-related osteonecrosis of the jaw (ONJ): a retrospective study of 149 consecutive patients from the Copenhagen ONJ Cohort. *Oral surgery, oral medicine, oral pathology and oral radiology* 2015; 119(4): 416 – 422
- 34 Walter C, Al-Nawas B, Grötz KA et al. Prevalence and risk factors of bisphosphonate-associated osteonecrosis of the jaw in prostate cancer patients with advanced disease treated with zoledronate. *European urology* 2008; 54(5): 1066 – 1072
- 35 Vahtsevanos K, Kyrgidis A, Verrou E et al. Longitudinal cohort study of risk factors in cancer patients of bisphosphonate-related osteonecrosis of the jaw. *Journal of clinical oncology: official journal of the American Society of Clinical Oncology* 2009; 27(32): 5356 – 5362
- 36 Thumbigere-Math V, Michalowicz BS, Hodges JS et al. Periodontal disease as a risk factor for bisphosphonate-related osteonecrosis of the jaw. *Journal of periodontology* 2014; 85(2): 226 – 233
- 37 Vasziklo M, Kovacs E, Restar L et al. Potential significance of antiestrogen therapy in the development of bisphosphonate related osteonecrosis of the jaw. *Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery* 2014; 42(8): 1932 – 1936
- 38 Ruggiero SL, Fantasia J, Carlson E. Bisphosphonate-related osteonecrosis of the jaw: background and guidelines for diagnosis, staging and management. *Oral surgery, oral medicine, oral pathology, oral radiology, and endodontics* 2006; 102(4): 433 – 441
- 39 Dimopoulos MA, Kastritis E, Bamia C et al. Reduction of osteonecrosis of the jaw (ONJ) after implementation of preventive measures in patients with multiple myeloma treated with zoledronic acid. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2009; 20(1): 117 – 120
- 40 Kos M. Association of dental and periodontal status with bisphosphonate-related osteonecrosis of the jaws. A retrospective case controlled study. *Archives of medical science : AMS* 2014; 10(1): 117 – 123
- 41 Moinzadeh A, Shemesh H, Neirynck, N A M, Aubert C, Wesselink PR. Bisphosphonates and their clinical implications in endodontic therapy. *International endodontic journal* 2013; 46(5): 391 – 398
- 42 Montefusco V, Gay F, Spina F et al. Antibiotic prophylaxis before dental procedures may reduce the incidence of osteonecrosis of the jaw in patients with multiple myeloma treated with bisphosphonates. *Leukemia & lymphoma* 2008; 49(11): 2156 – 2162
- 43 Schubert M, Klatte I, Linek W et al. The saxon bisphosphonate register - therapy and prevention of bisphosphonate-related osteonecrosis of the jaws. *Oral oncology* 2012; 48(4): 349 – 354
- 44 Sharma D, Ivanovski S, Slevin M et al. Bisphosphonate-related osteonecrosis of jaw (BRONJ): diagnostic criteria and possible pathogenic mechanisms of an unexpected anti-angiogenic side effect. *Vascular cell* 2013; 5(1): 1
- 45 Otto S, Hafner S, Grötz KA. The role of inferior alveolar nerve involvement in bisphosphonate-related osteonecrosis of the jaw. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons* 2009; 67(3): 589 – 592
- 46 Fedele S, Porter SR, D'Aiuto F et al. Nonexposed variant of bisphosphonate-associated osteonecrosis of the jaw: a case series. *The American journal of medicine* 2010; 123(11): 1060 – 1064

- 47 Zadik Y, Benoliel R, Fleissig Y, Casap N. Painful trigeminal neuropathy induced by oral bisphosphonate-related osteonecrosis of the jaw: a new etiology for the numb-chin syndrome. Quintessence international (Berlin, Germany : 1985) 2012; 43(2): 97 – 104
- 48 Haworth AE, Webb J. Skeletal complications of bisphosphonate use: what the radiologist should know. The British journal of radiology 2012; 85(1018): 1333 – 1342
- 49 Olutayo J, Agbaje JO, Jacobs R, Verhaeghe V, Velde FV, Vinckier F. Bisphosphonate-Related Osteonecrosis of the Jaw Bone: Radiological Pattern and the Potential Role of CBCT in Early Diagnosis. Journal of oral & maxillofacial research 2010; 1(2): e3
- 50 Borgioli A, Viviani C, Duvina M et al. Biphosphonates-related osteonecrosis of the jaw: Clinical and physiopathological considerations. Therapeutics and clinical risk management 2009; 5(1): 217 – 227
- 51 Bisdas S, Chambron Pinho N, Smolarz A, Sader R, Vogl TJ, Mack MG. Biphosphonate-induced osteonecrosis of the jaws: CT and MRI spectrum of findings in 32 patients. Clinical radiology 2008; 63(1): 71 – 77
- 52 Barragan-Adjemian C, Lausten L, Ang DB, Johnson M, Katz J, Bonewald LF. Bisphosphonate-related osteonecrosis of the jaw: model and diagnosis with cone beam computerized tomography. Cells, tissues, organs 2009; 189(1-4): 284 – 288
- 53 Treister NS, Friedland B, Woo S. Use of cone-beam computerized tomography for evaluation of bisphosphonate-associated osteonecrosis of the jaws. Oral surgery, oral medicine, oral pathology, oral radiology, and endodontics 2010; 109(5): 753 – 764
- 54 Stockmann P, Hinkmann FM, Lell MM et al. Panoramic radiograph, computed tomography or magnetic resonance imaging. Which imaging technique should be preferred in bisphosphonate-associated osteonecrosis of the jaw? A prospective clinical study. Clinical oral investigations 2010; 14(3): 311 – 317
- 55 Wutzl A, Biedermann E, Wanschitz F et al. Treatment results of bisphosphonate-related osteonecrosis of the jaws. Head & neck 2008; 30(9): 1224 – 1230
- 56 Boonyapakorn T, Schirmer I, Reichart PA, Sturm I, Massenkeil G. Bisphosphonate-induced osteonecrosis of the jaws: prospective study of 80 patients with multiple myeloma and other malignancies. Oral oncology 2008; 44(9): 857 – 869
- 57 Carlson ER, Basile JD. The role of surgical resection in the management of bisphosphonate-related osteonecrosis of the jaws. Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons 2009; 67(5 Suppl): 85 – 95
- 58 Wilde F, Heufelder M, Winter K et al. The role of surgical therapy in the management of intravenous bisphosphonates-related osteonecrosis of the jaw. Oral surgery, oral medicine, oral pathology, oral radiology, and endodontics 2011; 111(2): 153 – 163
- 59 Lemound J, Eckardt A, Kokemüller H et al. Bisphosphonate-associated osteonecrosis of the mandible: reliable soft tissue reconstruction using a local myofascial flap. Clinical oral investigations 2012; 16(4): 1143 – 1152
- 60 Voss PJ, Walter C. Bisphosphonatassoziierte Kiefernekrose. MKG-Chirurg 2013; 6(2): 101-106
- 61 Kyrgidis A, Toulis KA. Denosumab-related osteonecrosis of the jaws. Osteoporos Int 2011; 22(1): 369-370
- 62 Greuter S, Schmid F, Ruhstaller T, Thuerlimann B. Bevacizumab-associated osteonecrosis of the jaw. Annals of oncology : official journal of the European Society for Medical Oncology / ESMO 2008; 19(12): 2091 – 2092
- 63 Ruggiero SL, Dodson TB, Assael LA, Landesberg R, Marx RE, Mehrotra B. American Association of Oral and Maxillofacial Surgeons position paper on bisphosphonate-related osteonecrosis of the jaw - 2009

update. Australian endodontic journal : the journal of the Australian Society of Endodontontology Inc 2009; 35(3): 119 – 130

64 *Durie, Brian G M, Katz M, Crowley J.* Osteonecrosis of the jaw and bisphosphonates. The New England journal of medicine 2005; 353(1): 99-102; discussion 99-102

65 *Zavras AI, Zhu S.* Bisphosphonates are associated with increased risk for jaw surgery in medical claims data: is it osteonecrosis? Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons 2006; 64(6): 917 – 923

66 *Badros A, Weikel D, Salama A et al.* Osteonecrosis of the jaw in multiple myeloma patients: clinical features and risk factors. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2006; 24(6): 945 – 952

67 *Bamias A, Kastritis E, Bamia C et al.* Osteonecrosis of the jaw in cancer after treatment with bisphosphonates: incidence and risk factors. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2005; 23(34): 8580 – 8587

68 *Sarasquete ME, García-Sanz R, Marín L et al.* Bisphosphonate-related osteonecrosis of the jaw is associated with polymorphisms of the cytochrome P450 CYP2C8 in multiple myeloma: a genome-wide single nucleotide polymorphism analysis. Blood 2008; 112(7): 2709 – 2712

69 *Ruggiero SL, Mehrotra B, Rosenberg TJ, Engroff SL.* Osteonecrosis of the jaws associated with the use of bisphosphonates: a review of 63 cases. Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons 2004; 62(5): 527 – 534

70 *Khosla S, Burr D, Cauley J et al.* Bisphosphonate-associated osteonecrosis of the jaw: report of a task force of the American Society for Bone and Mineral Research. Journal of bone and mineral research : the official journal of the American Society for Bone and Mineral Research 2007; 22(10): 1479 – 1491

71 *Grötz KA, Piesold JU, Al-Nawas B.* Bisphosphonat-assoziierte Kiefernekrosen (BP-ONJ) und andere Medikamenten-assoziierte Kiefernekrosen. S-3- Leitlinie der AWMF 2012; http://www.awmf.org/uploads/tx_szleitlinien/007-0911_S3_Bisphosphonat-assoziierte_Kiefernekrose_2012-verlängert.pdf

72 *Kämmerer PW, Krüger M; Ziebart T.* Osteomyelitis und Knochennekrosen des Kiefers. Wissen kompakt 2013; 7: 33 – 44

Literaturverzeichnis

Fachbeitrag

Ist Periimplantitis ein lösbares Problem?

Autor: Frederic Kauffmann, Universitätsklinikum Würzburg

ZBS 12-2015

Charalampakis, G., Rabe, P., Leonhardt, A. & Dahlen, G. (2011) A follow-up study of peri-implantitis cases after treatment. *J Clin Periodontol* 38, 864-871. doi:10.1111/j.1600-051X.2011.01759.x.

Claffey N, Clarke E, Polyzois I, Renvert S: Surgical treatment of peri-implantitis.
J Clin Periodontol 2008; 35 (Suppl. 8): 316–332. doi: 10.1111/j.1600-051X.2008.01277.x.

Fransson, C., Wennström, J. and Berglundh, T. (2008), Clinical characteristics at implants with a history of progressive bone loss. *Clinical Oral Implants Research*, 19: 142–147.
doi:10.1111/j.1600-0501.2007.01448.x

Koldsland, Odd Carsten, Anne Aamdal Scheie, and Anne Merete Aass Prevalence of Peri-Implantitis related to Severity of the Disease With Different Degrees of Bone Loss *J Periodontol* 2010, doi: 10.1902/jop.2009.090269

Oates, T.W.S., Robinson, Dowell, M., McMahan C.A, Glycemic Control and Implant Stabilization in Type 2 Diabetes Mellitus. doi: 10.1177/0022034509334203 *JDR* April 2009 vol. 88 no. 4 367-371

Pjetursson, B. E., Thoma, D., Jung, R., Zwahlen, M. & Zembic, A. (2012) A systematic review of the survival and complication rates of implant-supported fixed dental prostheses (FDPs) after a mean observation period of at least 5 years. *Clin Oral Implants Res* 23 Suppl 6, 22-38.
doi:10.1111/j.1600-0501.2012.02546.x.

Renvert S, Persson GR. Periodontitis as a potential risk factor for peri-implantitis.
J Clin Periodontol 2009; 36 (Suppl. 10): 9–14. doi: 10.1111/j.1600-051X.2009.01416.x.

Roos-Jansåker, A.-M., Lindahl, C., Renvert, H. and Renvert, S. (2006), Nine- to fourteen-year follow-up of implant treatment. Part II: presence of peri-implant lesions. *Journal of Clinical Periodontology*, 33: 290–295. doi:10.1111/j.1600-051X.2006.00906.x

Safii, Syarida H., Palmer, Richard M., Wilson, Ron F., Risk of Implant Failure and Marginal Bone Loss in Subjects with a History of Periodontitis: A Systematic Review and Meta-Analysis. *Clinical Implant Dentistry and Related Research*, Volume 12, Number 3, 2010, DOI 10.1111/j.1708-8208.2009.00162.x

Schwarz F, Hegewald A, John G, Sahm N, Becker J. Four-year follow-up of combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination. *J Clin Periodontol* 2013; 40: 962–967. doi: 10.1111/jcpe.12143.

Serino, G. & Turri, A. (2011) Outcome of surgical treatment of peri-implantitis: results from a 2-year prospective clinical study in humans. *Clin Oral Implants Res* 22, 1214-1220.
doi:10.1111/j.1600-0501.2010.02098.x.

Wilson, TG. The positive relationship between excess cement and peri-implant disease: a prospective clinical endoscopic study. *J Periodontol* 2009;80:1388–1392.